



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/863,613	05/23/2001	Yasushi Kasajima	125A 3121	8823
7590 11/21/2006			EXAMINER	
Koda & Androlia 2029 Century Park East Ste. 1140 Los Angeles, CA 90067-2983			DESHPANDE, KALYAN K	
			ART UNIT	PAPER NUMBER
			3623	

DATE MAILED: 11/21/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

09/863,613

Applicant(s)

KASAJIMA ET AL.

Examiner

Kalyan K. Deshpande

Art Unit

3623

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 20 September 2006.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1,4,7-11 and 13 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1,4,7-11 and 13 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 19 September 2005 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
- Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
- Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☐ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date _____.
- 4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____.
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: _____.

DETAILED ACTION

Introduction

1. The following is a final office action in response to the communications received on September 20, 2006. Claims 1, 4, 7-11, and 13 are pending in this application.

Response to Amendments

2. Applicants' amendments to claims 1 and 4 are acknowledged. Examiner maintains all previously asserted rejections.

Response to Arguments

3. Applicants' arguments filed on September 20, 2006 have been fully considered but are not found persuasive. Applicants' argue i) Foodman fails to teach "storing and analyzing at said service server said attribute information sent from said dwelling management server, and sending back as visual display information after analyzing said attribute information to said dwelling management server selected from information prepared in advance in reply to the received attribute information", specifically because Foodman discloses a web site that serves as an "intermediate point" for video and audio signals, ii) Foodman fails to teach "controlling and supervising said living facilities and equipment, and functioning as a portal site for receiving and displaying display information from an external server provided on said communication network", and iii) one of ordinary skill in the art would not combine Blackie to Foodman.

In response to Applicants' argument Foodman fails to teach "storing and analyzing at said service server said attribute information sent from said dwelling management server, and sending back as visual display information after analyzing said

Art Unit: 3623

attribute information to said dwelling management server selected from information prepared in advance in reply to the received attribute information", specifically because Foodman discloses a web site that serves as an "intermediate point" for video and audio signals, Examiner respectfully disagrees. Foodman explicitly teaches "storing and analyzing at said service server said attribute information sent from said dwelling management server, and sending back as visual display information after analyzing said attribute information to said dwelling management server selected from information prepared in advance in reply to the received attribute information" (see column 8 lines 43-64 and column 9 lines 40-50; where visual data is capture and stored in a database making the data available for later review. Furthermore, a system user can generate actual use reports based on system events stored in the database.). Applicants' argument that a web site serves as an "intermediate point" is also not persuasive. The Foodman web site performs the same functionality as is recited by the present invention (as discussed above) in that it captures, stores and analyzes data, therefore serves a greater function than a mere intermediate point.

In response to Applicants' argument Foodman fails to teach "controlling and supervising said living facilities and equipment, and functioning as a portal site for receiving and displaying display information from an external server provided on said communication network", Examiner respectfully disagrees. Foodman explicitly does teach "controlling and supervising said living facilities and equipment, and functioning as a portal site for receiving and displaying display information from an external server provided on said communication network" (see column 5 lines 53-67, column 6 lines 1-

Art Unit: 3623

24, and column 7 lines 21-55; where a control panel enables a user to control elements of the system that control the elements of the living facilities and equipment. The system has a local or central monitoring mode, enabling a user to supervise the living facilities and equipment. A website is available as a portal to receive and display information obtained from the system over a communications network in the local and central monitoring modes.).

In response to Applicants' argument one of ordinary skill in the art would not combine Blackie to Foodman, Examiner respectfully disagrees. Foodman is directed to a home system that can be locally or centrally monitored by personnel servicing a customer (see column 4 lines 42-67; where several personnel groups can be notified of a system event.). Blackie is directed to providing customer services to a customer (see p. 86). Both Foodman and Blackie are directed to the same subject matter of providing services to a customer, regardless of what industry they are providing customer service too. Thus, one of ordinary skill in the art would naturally seek to combine the teachings of Foodman and Blackie.

Examiner notes the following discussion of Official Notice taken from the MPEP:

To adequately traverse such a finding, an applicant must specifically point out the supposed errors in the examiner's action, which would include stating why the noticed fact is not considered to be common knowledge or well-known in the art. See 37 CFR 1.111(b). See also *Chevenard*, 139 F.2d at 713, 60 USPQ at 241 ("[I]n the absence of any demand by appellant for the examiner to produce authority for his statement, we will not consider this contention."). A general allegation that the claims define a patentable invention without any reference to the examiner's assertion of official notice would be inadequate. If applicant adequately traverses the examiner's assertion of official notice, the examiner must provide documentary evidence in the next Office action if the rejection is to be maintained. See 37 CFR 1.104(c)(2). See also *Zurko*, 258 F.3d at 1386, 59 USPQ2d at 1697 ("[T]he Board [or examiner] must point to some concrete evidence in the record in support of these findings" to satisfy the substantial evidence test). If the examiner

Art Unit: 3623

is relying on personal knowledge to support the finding of what is known in the art, the examiner must provide an affidavit or declaration setting forth specific factual statements and explanation to support the finding. See 37 CFR 1.104(d)(2). If applicant does not traverse the examiner's assertion of official notice or applicant's traverse is not adequate, the examiner should clearly indicate in the next Office action that the common knowledge or well-known in the art statement is taken to be admitted prior art because applicant either failed to traverse the examiner's assertion of official notice or that the traverse was inadequate. If the traverse was inadequate, the examiner should include an explanation as to why it was inadequate. (MPEP § 2144.03(C))

Applicants are silent as to the features Examiner has noted as old and well-known in the art, and thus have not "specifically point[ed] out the supposed errors in the examiner's action, which would include stating why the noticed fact is not considered to be common knowledge or well-known in the art." For these reasons, "indoor communication network and the information network are connected to a power supply" and "a power information board that is coupled to a communication network that controls the supply of power to equipment and is capable of receiving input signals" are taken to be admitted prior art.

Claim Rejections - 35 USC § 103

4. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

5. Claims 1, 4, 7-11 and 13 are rejected under 35 U.S.C. 103(a) as being unpatentable over Foodman et al. (U.S. Patent No. 6975220) in view of Blackie et al. (Blackie, N.; Linge, N.; Brown, P.; "Advanced Customer Services, Bringing the Call Centre Home", *Metering and Tariffs for Energy Supply*, August 1999).

As per claim 1, Foodman et al. teach:

A method for offering specific customer information service to specific customers timely over communication network according to the changes in daily living circumstances of said customers staying or living in dwelling houses, office building or buildings, said method comprising of the steps of:

Always monitoring at a dwelling management server equipped in said dwelling houses or office buildings attribute information comprised of inherent information and status information on living facilities and equipment used in said dwelling houses or office buildings (see column 6 lines 12-24; where once the system has been activated, the system continuously monitors the residence or commercial real estate. The system monitors the status of several sensors and camera.),

automatically sending immediately from said dwelling management server said attribute information to a service server equipped on said communication network when there occurs change in said attribute information or at specific time intervals when there is no change in said attribute information, said dwelling management server being connected to said communication network and an information communication network connected to said living facilities and equipment, by way of two-way communication, controlling and supervising said living facilities and equipment, and functioning as a portal site for receiving and displaying display information from an external server provided on said communications network (see column 4 lines 42-67, column 5 lines 53-67, column 6 lines 1-24, column 7 lines 21-55, and column 8 lines 20-65; where a response is sent to the central monitoring

Art Unit: 3623

station and the premises owner of a change in event detected by a sensor. The system enables a two-way communication link between the owner and the central monitoring station. A control panel enables a user to control elements of the system that control the elements of the living facilities and equipment. The system has a local or central monitoring mode, enabling a user to supervise the living facilities and equipment. A website is available as a portal to receive and display information obtained from the system over a communications network in the local and central monitoring modes.) and,

storing and analyzing at said service server said attribute information sent from said dwelling management server, and sending back as visual display information after analyzing said attribute information to said dwelling management server selected from information prepared in advance in reply to the received attribute information (see column 8 lines 43-64 and column 9 lines 40-50; where visual data is capture and stored in a database making the data available for later review. Furthermore, a system user can generate actual use reports based on system events stored in the database.).

Foodman et al. fail to explicitly teach “inherent information”. Foodman et al. do discusses enabling users of the system to make a determination as to which products are necessary for maintenance. This determination requires the use of inherent information. Therefore, one would have to have inherent information in order to provide the maintenance taught by Foodman et al. The advantage of collecting inherent information is that it allows a recovery team to more quickly provide timely maintenance.

Art Unit: 3623

It would have been obvious, at the time of the invention, to one of ordinary skill in the art to discern the use of inherent information to make the determination of maintenance recovery taught by Foodman et al. in order to facilitate the timely maintenance of equipment, which is a goal of Foodman et al. (see column 4 lines 45-47).

Foodman et al. also fail to explicitly teach introduction information on products and services. Foodman et al. teach the collection of use data (see column 8 lines 43-64; where use information is collected and stored. Reports can be generated from this data.). Blackie et al. teach introduction information on products and services (see p. 89; where the system enables the one-to-one marketing relationship based on customer data. Furthermore, the system enables cross marketing and sales based on service problems.). The advantage using collected use data for introducing information on products and services is that it enables the promotion of products based on customer needs thereby promoting customer service. It would have been obvious, at the time of the invention, to one of ordinary skill in the art to incorporate the collected use data already taught by Foodman et al. and introduce information on products and services taught by Blackie et al. to the Foodman et al. system in order to promote products to customers based on customer needs thereby promoting customer service, which is a goal of Blackie (see p. 86).

As per claim 4, Foodman et al. teach:

A system of offering specific customer information service to specific customers timely over communication network according to the changes in daily living

Art Unit: 3623

circumstances of said customers staying or living in dwelling houses or office buildings, said system comprising:

a dwelling management server in said dwelling houses or office buildings for monitoring attribute information comprised of inherent information and status information on living facilities and equipment used in the dwelling houses or office buildings, which is connected to said communication network by way of a two-way communication, controlling and supervising said living facilities and equipment, and functioning as a portal site for receiving and displaying display information from an external server provided on said communications network (see column 5 lines 53-67, column 6 lines 1-24, column 7 lines 21-55, and column 8 line 43-64; where the system can be run in local mode thereby monitoring the system locally. A local processor monitors a change in state and sounds an alarm if necessary. A control panel enables a user to control elements of the system that control the elements of the living facilities and equipment. The system has a local or central monitoring mode, enabling a user to supervise the living facilities and equipment. A website is available as a portal to receive and display information obtained from the system over a communications network in the local and central monitoring modes.) and

a service server equipped on said network for providing said customer information service to said customers (see column 6 lines 5-24; where the system can be run in central monitoring mode. A central monitoring state provides customer service to the customers.),

Art Unit: 3623

wherein said dwelling management server is connected to an indoor communication network to which said living facilities and equipment used in said dwelling houses or office buildings are connected, and constantly monitors attribute information on said living facilities and equipment and sends said attribute information to said service server immediately when there occurs change in said attribute information and at specific time intervals when there is no change in said attribute information (see column 5 line 35-52 and column 6 lines 5-24; where once the system has been activated, the system continuously monitors the residence or commercial real estate. The system monitors the status of several sensors and camera. The central monitoring system is connected to the local system via a communications network.), and

wherein said service server stores and analyzes said attribute information sent from said dwelling management server, and sends back as visual display information to said dwelling management server introduction information on products or services selected from information prepared in advance in reply to the received attribute information (see column 8 lines 43-64 and column 9 lines 40-50; where visual data is capture and stored in a database making the data available for later review. Furthermore, a system user can generate actual use reports based on system events stored in the database.).

As per claim 7, Foodman et al. teach:

The system of claim 4, wherein said dwelling management server is a multi-functional communication terminal unit with function of displaying a request receiving

Art Unit: 3623

screen on which requests and inquiries from said specific customers in said dwelling houses or office buildings are displayed, and wherein said service server analyzes said inquiry and request received through said request receiving screen and sends back as visual information most appropriate advice information selected from various advices prepared in advance to said multi-functional communication terminal unit (see column 8 lines 11-20; where a user can use the system for multiple functions. The system accepts the user's request and displays the appropriate information based on the user's request. For example, a user can check the temperature at a temperature sensor and the system will provide the user with this information.).

As per claim 8, Foodman et al. teach:

The system of claim 4 or 7, wherein said living facilities and equipment include an emergency calling device, wherein said service server further comprises a users' management data base where location information including addresses or telephone numbers of said dwelling house is stored and, wherein said service server reports an emergency calling signal to public organs consisting of fire stations and police stations, together with location information, referring to said users' management data base, on receiving said emergency calling signals sent from said emergency calling device (see column 4 lines 42-67; where public organs, including a fire station and police station, are notified in the case of an emergency. The emergency agents are provided with temporary access to the security system in order to determine all of the specifics needed to resolve the emergency.).

As per claim 9, Foodman et al. teach:

The system of any one of claim 4 to claim 7, wherein a center management server with customer's use actual result data base is further equipped on said communication network, wherein said dwelling management server comprises means for collecting use actual result information on said living facilities and equipment and sending the actual result information to said center management server, and wherein said center management server analyzes said use actual result and stores the analysis results in said use actual result data base, on receiving said use actual result information from said dwelling management server (see column 8 lines 43-64 and column 9 lines 40-50; where visual data is capture and stored in a database making the data available for later review. Furthermore, a system user can generate actual use reports based on system events stored in the database.).

As per claim 10, Foodman et al. teach:

The system of claim 9, wherein said center management server further comprises means for executing a program prepared in advance to automatically prepare a market trend investigation report in a specific form, referring to said use actual result data base as necessary and for sending said market trend investigation report thus prepared to other communication terminals of product manufactures equipped on said communication network (see column 8 lines 11-20, column 8 lines 43-64, and column 9 lines 40-50; where visual data is capture and stored in a database making the data available for later review. Furthermore, a system user can generate actual use reports based on system events stored in the database.

Art Unit: 3623

Any authorized user as designated by the premises owner has the ability to access actual use reports.).

As per claim 11, Foodman et al. teach:

The system of claim 4 wherein said living facilities and equipment includes electrical equipment used in said dwelling houses or office buildings and said dwelling management server is a multi-functional communication terminal unit of network-adapted type, comprising:

A display screen where necessary information is displayed for remote control or two-way communication (see column 3 lines 60-67 and column 4 lines 1-8; where a display screen is enabled for video monitoring. A two-way communication link is also enabled.),

Means for remote control of said living facilities and equipment (see column 8 lines 11-20; where a user can use the system for multiple functions. The system accepts the user's request and displays the appropriate information based on the user's request. For example, a user can check the temperature at a temperature sensor and the system will provide the user with this information. A user can do this remotely by using the system website.) and

Means for two-way communicating with said communication network and said indoor communication network, information network through which control signals are transmitted to said living facilities and equipment (see column 4 lines 27-41 and figures 1 and 3; where the local system and the central monitoring system are

Art Unit: 3623

connected via the Internet. Communications between two computers connected on a network are considered two-way communications.); ,

Foodman et al. fail to explicitly teach the indoor communication network and the information network are connected to a power supply. It is old and well-known in the art to connect the indoor communication network and the information network to a separate power supply. The advantage of this setup is that the system stays active and can be monitored from remote locations. It would have been obvious, at the time of the invention, to one of ordinary skill in the art to combine the feature of connecting the indoor communication network and the information network to a separate power supply in order to ensure the system stays active and can be monitored from remote locations, which is a goal of Foodman et al. (see column 1 lines 53-67).

Claim 11 further recites the limitation of introduction information on products and services already addressed by the rejection of claim 1; therefore the same rejection applies to this claim.

As per claim 13, Foodman et al. fail to explicitly teach a power information integration distribution board connected to the communication network and power distribution board, where the power information board supplies electric power and receives input signals. It is old and well-known in the art to have a power information board that is coupled to a communication network that controls the supply of power to equipment and is capable of receiving input signals. The advantage of this feature is that it enables a user control the input of power from a single source and control the input of power remotely using input signals. It would have been obvious, at the time of

Art Unit: 3623

the invention, to one of ordinary skill in the art to combine the feature of a power information integration distribution board connected to the communication network and power distribution board, where the power information board supplies electric power and receives input signals with the Foodman et al. system in order to enable a user to control the input of power from a single source and control the input of power remotely, which is a goal of Foodman et al. (see column 1 lines 53-67).

Conclusion

6. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.


Any inquiry concerning this communication or earlier communications from the examiner should be directed to Kalyan K. Deshpande whose telephone number is (571)272-5880. The examiner can normally be reached on M-F 8am-5pm.

Art Unit: 3623

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Tariq Hafiz can be reached on (571) 272-6729. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).


kkd


TARIQ R. HAFIZ
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 3600